Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	2		2
Diagnosis		% within Sex	.7%		.5%
	5-12	Count	1		1
		% within Sex	.3%		.3%
	13-19	Count	10	4	14
		% within Sex	3.4%	5.6%	3.8%
	20-24	Count	33	6	39
		% within Sex	11.2%	8.5%	10.7%
	25-29	Count	63	13	76
		% within Sex	21.4%	18.3%	20.8%
	30-39	Count	111	28	139
		% within Sex	37.6%	39.4%	38.0%
	40-49	Count	57	15	72
		% within Sex	19.3%	21.1%	19.7%
	50-59	Count	12	3	15
		% within Sex	4.1%	4.2%	4.1%
	60-69	Count	3	2	5
		% within Sex	1.0%	2.8%	1.4%
	70+	Count	3		3
		% within Sex	1.0%		.8%
Total		Count	295	71	366
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

# HIV Infection Cases Reported during 2002 (from the 02/27/03 HARS data set)

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	85	16	101
		% within Sex	28.8%	22.5%	27.6%
	African American	Count	44	15	59
		% within Sex	14.9%	21.1%	16.1%
	Hispanic	Count	161	39	200
		% within Sex	54.6%	54.9%	54.6%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.3%		.3%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.3%		.3%
	Not Specified	Count	3	1	4
		% within Sex	1.0%	1.4%	1.1%
Total		Count	295	71	366
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	166		166
Exposure		% within Sex	56.3%		45.4%
	IDU	Count	23	14	37
		% within Sex	7.8%	19.7%	10.1%
	M-M & IDU	Count	10		10
		% within Sex	3.4%		2.7%
	Heterosexual Contact	Count	15	32	47
		% within Sex	5.1%	45.1%	12.8%
	Transfusion	Count	2	1	3
		% within Sex	.7%	1.4%	.8%
	Not Classified	Count	76	24	100
		% within Sex	25.8%	33.8%	27.3%
	Ped Parent at Risk	Count	2		2
		% within Sex	.7%		.5%
	Ped Other-Undet	Count	1		1
		% within Sex	.3%		.3%
Total		Count	295	71	366
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

# HIV Infection Cases Reported during 2002 (from the 02/27/03 HARS data set)

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	1	100	101
		% within Adult-Ped	33.3%	27.5%	27.6%
	African American	Count	1	58	59
		% within Adult-Ped	33.3%	16.0%	16.1%
	Hispanic	Count	1	199	200
		% within Adult-Ped	33.3%	54.8%	54.6%
	Asian-Pacific Islander	Count		1	1
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		4	4
		% within Adult-Ped		1.1%	1.1%
Total		Count	3	363	366
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 8

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Sex	Male	Count	3	292	295
		% within Adult-Ped	100.0%	80.4%	80.6%
	Female	Count		71	71
		% within Adult-Ped		19.6%	19.4%
Total		Count	3	363	366
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 8

#### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	7	4	11
Diagnosis		% within Sex	3.9%	8.5%	4.9%
	20-24	Count	28	9	37
		% within Sex	15.6%	19.1%	16.4%
	25-29	Count	37	6	43
		% within Sex	20.7%	12.8%	19.0%
	30-39	Count	74	19	93
		% within Sex	41.3%	40.4%	41.2%
	40-49	Count	22	7	29
		% within Sex	12.3%	14.9%	12.8%
	50-59	Count	10	2	12
		% within Sex	5.6%	4.3%	5.3%
	70+	Count	1		1
		% within Sex	.6%		.4%
Total		Count	179	47	226
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

#### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	57	16	73
		% within Sex	31.8%	34.0%	32.3%
	African American	Count	14	10	24
		% within Sex	7.8%	21.3%	10.6%
	Hispanic	Count	107	20	127
		% within Sex	59.8%	42.6%	56.2%
	Asian-Pacific Islander	Count	1		1
		% within Sex	.6%		.4%
	Not Specified	Count		1	1
		% within Sex		2.1%	.4%
Total		Count	179	47	226
		% within Sex	100.0%	100.0%	100.0%

### HIV Infection Cases Reported during 2001 (from the 02/27/03 HARS data set)

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Sex		
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	96		96
Exposure		% within Sex	53.6%		42.5%
	IDU	Count	14	9	23
		% within Sex	7.8%	19.1%	10.2%
	M-M & IDU	Count	3		3
		% within Sex	1.7%		1.3%
	Heterosexual Contact	Count	10	20	30
		% within Sex	5.6%	42.6%	13.3%
	Not Classified	Count	56	18	74
		% within Sex	31.3%	38.3%	32.7%
Total		Count	179	47	226
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	73	73
		% within Adult-Ped	32.3%	32.3%
	African American	Count	24	24
		% within Adult-Ped	10.6%	10.6%
	Hispanic	Count	127	127
		% within Adult-Ped	56.2%	56.2%
	Asian-Pacific Islander	Count	1	1
		% within Adult-Ped	.4%	.4%
	Not Specified	Count	1	1
		% within Adult-Ped	.4%	.4%
Total		Count	226	226
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 8

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	179	179
		% within Adult-Ped	79.2%	79.2%
	Female	Count	47	47
		% within Adult-Ped	20.8%	20.8%
Total		Count	226	226
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 8

### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	3	1	4
Diagnosis		% within Sex	.4%	.5%	.4%
	1 (12-23 mo)	Count	1	1	2
		% within Sex	.1%	.5%	.2%
	2-4	Count	1		1
		% within Sex	.1%		.1%
	5-12	Count	1	1	2
		% within Sex	.1%	.5%	.2%
	13-19	Count	25	13	38
		% within Sex	3.2%	6.0%	3.8%
	20-24	Count	94	34	128
		% within Sex	12.1%	15.6%	12.9%
	25-29	Count	166	37	203
		% within Sex	21.4%	17.0%	20.4%
	30-39	Count	308	78	386
		% within Sex	39.7%	35.8%	38.8%
	40-49	Count	129	39	168
		% within Sex	16.6%	17.9%	16.9%
	50-59	Count	39	11	50
		% within Sex	5.0%	5.0%	5.0%
	60-69	Count	4	2	6
		% within Sex	.5%	.9%	.6%
	70+	Count	5	1	6
		% within Sex	.6%	.5%	.6%
Total		Count	776	218	994
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

# Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	260	64	324
		% within Sex	33.5%	29.4%	32.6%
	African American	Count	103	46	149
		% within Sex	13.3%	21.1%	15.0%
	Hispanic	Count	405	106	511
		% within Sex	52.2%	48.6%	51.4%
	Asian-Pacific Islander	Count	4		4
		% within Sex	.5%		.4%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.1%		.1%
	Not Specified	Count	3	2	5
		% within Sex	.4%	.9%	.5%
Total		Count	776	218	994
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	447		447
Exposure		% within Sex	57.6%		45.0%
	IDU	Count	58	46	104
		% within Sex	7.5%	21.1%	10.5%
	M-M & IDU	Count	26		26
		% within Sex	3.4%		2.6%
	Heterosexual Contact	Count	38	91	129
		% within Sex	4.9%	41.7%	13.0%
	Transfusion	Count	3	1	4
		% within Sex	.4%	.5%	.4%
	Not Classified	Count	198	77	275
		% within Sex	25.5%	35.3%	27.7%
	Ped Parent at Risk	Count	5	2	7
		% within Sex	.6%	.9%	.7%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.1%	.5%	.2%
Total		Count	776	218	994
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

# Cumulative Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

### Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	2	322	324
		% within Adult-Ped	22.2%	32.7%	32.6%
	African American	Count	3	146	149
		% within Adult-Ped	33.3%	14.8%	15.0%
	Hispanic	Count	4	507	511
		% within Adult-Ped	44.4%	51.5%	51.4%
	Asian-Pacific Islander	Count		4	4
		% within Adult-Ped		.4%	.4%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		5	5
		% within Adult-Ped		.5%	.5%
Total		Count	9	985	994
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 8

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult	-Ped	
			<b>D</b> 11 ( )	Adult/Adol	<b>.</b>
			Pediatric	escent	Total
Sex	Male	Count	6	770	776
		% within Adult-Ped	66.7%	78.2%	78.1%
	Female	Count	3	215	218
		% within Adult-Ped	33.3%	21.8%	21.9%
Total		Count	9	985	994
		% within Adult-Ped	100.0%	100.0%	100.0%

### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	3	1	4
Diagnosis		% within Sex	.4%	.5%	.4%
	1 (12-23 mo)	Count	1	1	2
		% within Sex	.1%	.5%	.2%
	2-4	Count	1		1
		% within Sex	.1%		.1%
	5-12	Count	1	1	2
		% within Sex	.1%	.5%	.2%
	13-19	Count	25	13	38
		% within Sex	3.3%	6.0%	3.9%
	20-24	Count	94	34	128
		% within Sex	12.3%	15.8%	13.0%
	25-29	Count	165	37	202
		% within Sex	21.5%	17.2%	20.6%
	30-39	Count	306	77	383
		% within Sex	39.9%	35.8%	39.0%
	40-49	Count	126	37	163
		% within Sex	16.4%	17.2%	16.6%
	50-59	Count	35	11	46
		% within Sex	4.6%	5.1%	4.7%
	60-69	Count	4	2	6
		% within Sex	.5%	.9%	.6%
	70+	Count	5	1	6
		% within Sex	.7%	.5%	.6%
Total		Count	766	215	981
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

# Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Current	2-4	Count	2		2
Age		% within Sex	.3%		.2%
	5-12	Count	2	2	4
		% within Sex	.3%	.9%	.4%
	13-19	Count	5	5	10
		% within Sex	.7%	2.3%	1.0%
	20-24	Count	59	16	75
		% within Sex	7.7%	7.4%	7.6%
	25-29	Count	90	37	127
		% within Sex	11.7%	17.2%	12.9%
	30-39	Count	313	74	387
		% within Sex	40.9%	34.4%	39.4%
	40-49	Count	220	58	278
		% within Sex	28.7%	27.0%	28.3%
	50-59	Count	53	14	67
		% within Sex	6.9%	6.5%	6.8%
	60-69	Count	17	8	25
		% within Sex	2.2%	3.7%	2.5%
	70+	Count	5	1	6
		% within Sex	.7%	.5%	.6%
Total		Count	766	215	981
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	257	63	320
		% within Sex	33.6%	29.3%	32.6%
	African American	Count	102	45	147
		% within Sex	13.3%	20.9%	15.0%
	Hispanic	Count	399	105	504
		% within Sex	52.1%	48.8%	51.4%
	Asian-Pacific Islander	Count	4		4
		% within Sex	.5%		.4%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.1%		.1%
	Not Specified	Count	3	2	5
		% within Sex	.4%	.9%	.5%
Total		Count	766	215	981
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

# Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	444		444
Exposure		% within Sex	58.0%		45.3%
	IDU	Count	58	44	102
		% within Sex	7.6%	20.5%	10.4%
	M-M & IDU	Count	25		25
		% within Sex	3.3%		2.5%
	Heterosexual Contact	Count	38	90	128
		% within Sex	5.0%	41.9%	13.0%
	Transfusion	Count	3	1	4
		% within Sex	.4%	.5%	.4%
	Not Classified	Count	192	77	269
		% within Sex	25.1%	35.8%	27.4%
	Ped Parent at Risk	Count	5	2	7
		% within Sex	.7%	.9%	.7%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.1%	.5%	.2%
Total		Count	766	215	981
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

#### Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	2	318	320
		% within Adult-Ped	22.2%	32.7%	32.6%
	African American	Count	3	144	147
		% within Adult-Ped	33.3%	14.8%	15.0%
	Hispanic	Count	4	500	504
		% within Adult-Ped	44.4%	51.4%	51.4%
	Asian-Pacific Islander	Count		4	4
		% within Adult-Ped		.4%	.4%
	Am Indian-Alaskan	Count		1	1
		% within Adult-Ped		.1%	.1%
	Not Specified	Count		5	5
		% within Adult-Ped		.5%	.5%
Total		Count	9	972	981
		% within Adult-Ped	100.0%	100.0%	100.0%

# Living Reported HIV Infection Cases through 12/31/02 (from the 02/27/03 HARS data set)

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult	-Ped	
			Pediatric	Adult/Adol escent	Total
Sex	Male	Count	6	760	766
		% within Adult-Ped	66.7%	78.2%	78.1%
	Female	Count	3	212	215
		% within Adult-Ped	33.3%	21.8%	21.9%
Total		Count	9	972	981
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 8

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	2		2
Diagnosis		% within Sex	1.1%		.9%
	20-24	Count	6	4	10
		% within Sex	3.4%	11.4%	4.7%
	25-29	Count	13	2	15
		% within Sex	7.3%	5.7%	7.0%
	30-39	Count	84	11	95
		% within Sex	47.2%	31.4%	44.6%
	40-49	Count	48	12	60
		% within Sex	27.0%	34.3%	28.2%
	50-59	Count	17	5	22
		% within Sex	9.6%	14.3%	10.3%
	60-69	Count	7	1	8
		% within Sex	3.9%	2.9%	3.8%
	70+	Count	1		1
		% within Sex	.6%		.5%
Total		Count	178	35	213
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	55	5	60
		% within Sex	30.9%	14.3%	28.2%
	African American	Count	22	10	32
		% within Sex	12.4%	28.6%	15.0%
	Hispanic	Count	96	19	115
		% within Sex	53.9%	54.3%	54.0%
	Asian-Pacific Islander	Count	2	1	3
		% within Sex	1.1%	2.9%	1.4%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.6%		.5%
	Not Specified	Count	2		2
		% within Sex	1.1%		.9%
Total		Count	178	35	213
		% within Sex	100.0%	100.0%	100.0%

# AIDS Cases Reported during 2002 (from the 02/27/03 HARS data set)

#### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	95		95
Exposure		% within Sex	53.4%		44.6%
	IDU	Count	18	4	22
		% within Sex	10.1%	11.4%	10.3%
	M-M & IDU	Count	5		5
		% within Sex	2.8%		2.3%
	Heterosexual Contact	Count	13	15	28
		% within Sex	7.3%	42.9%	13.1%
	Transfusion	Count	1		1
		% within Sex	.6%		.5%
	Not Classified	Count	46	16	62
		% within Sex	25.8%	45.7%	29.1%
Total		Count	178	35	213
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	60	60
		% within Adult-Ped	28.2%	28.2%
	African American	Count	32	32
		% within Adult-Ped	15.0%	15.0%
	Hispanic	Count	115	115
		% within Adult-Ped	54.0%	54.0%
	Asian-Pacific Islander	Count	3	3
		% within Adult-Ped	1.4%	1.4%
	Am Indian-Alaskan	Count	1	1
		% within Adult-Ped	.5%	.5%
	Not Specified	Count	2	2
		% within Adult-Ped	.9%	.9%
Total		Count	213	213
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 8

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	178	178
		% within Adult-Ped	83.6%	83.6%
	Female	Count	35	35
		% within Adult-Ped	16.4%	16.4%
Total		Count	213	213
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 8

Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	13-19	Count	2		2
Diagnosis		% within Sex	1.0%		.8%
	20-24	Count	5	3	8
		% within Sex	2.4%	8.6%	3.3%
	25-29	Count	24	4	28
		% within Sex	11.7%	11.4%	11.7%
	30-39	Count	87	15	102
		% within Sex	42.4%	42.9%	42.5%
	40-49	Count	65	9	74
		% within Sex	31.7%	25.7%	30.8%
	50-59	Count	16	3	19
		% within Sex	7.8%	8.6%	7.9%
	60-69	Count	5		5
		% within Sex	2.4%		2.1%
	70+	Count	1	1	2
		% within Sex	.5%	2.9%	.8%
Total		Count	205	35	240
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

### Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	47	6	53
		% within Sex	22.9%	17.1%	22.1%
	African American	Count	27	7	34
		% within Sex	13.2%	20.0%	14.2%
	Hispanic	Count	130	22	152
		% within Sex	63.4%	62.9%	63.3%
	Am Indian-Alaskan	Count	1		1
		% within Sex	.5%		.4%
Total		Count	205	35	240
		% within Sex	100.0%	100.0%	100.0%

# AIDS Cases Reported during 2001 (from the 02/27/03 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	105		105
Exposure		% within Sex	51.2%		43.8%
	IDU	Count	20	5	25
		% within Sex	9.8%	14.3%	10.4%
	M-M & IDU	Count	6		6
		% within Sex	2.9%		2.5%
	Heterosexual Contact	Count	11	20	31
		% within Sex	5.4%	57.1%	12.9%
	Transfusion	Count	1		1
		% within Sex	.5%		.4%
	Not Classified	Count	61	10	71
		% within Sex	29.8%	28.6%	29.6%
	Ped Hemophiliac	Count	1		1
		% within Sex	.5%		.4%
Total		Count	205	35	240
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

			Adult-Ped	
			Adult/Adol	
			escent	Total
Race-Ethnicity	White Non-Hispanic	Count	53	53
		% within Adult-Ped	22.1%	22.1%
	African American	Count	34	34
		% within Adult-Ped	14.2%	14.2%
	Hispanic	Count	152	152
		% within Adult-Ped	63.3%	63.3%
	Am Indian-Alaskan	Count	1	1
		% within Adult-Ped	.4%	.4%
Total		Count	240	240
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 8

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult-Ped	
			Adult/Adol	
			escent	Total
Sex	Male	Count	205	205
		% within Adult-Ped	85.4%	85.4%
	Female	Count	35	35
		% within Adult-Ped	14.6%	14.6%
Total		Count	240	240
		% within Adult-Ped	100.0%	100.0%

a. PHR = PHR 8

### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	5	6	11
Diagnosis		% within Sex	.1%	1.4%	.2%
	1 (12-23 mo)	Count	5	3	8
		% within Sex	.1%	.7%	.2%
	2-4	Count	4	1	5
		% within Sex	.1%	.2%	.1%
	5-12	Count	5	3	8
		% within Sex	.1%	.7%	.2%
	13-19	Count	34	6	40
		% within Sex	.8%	1.4%	.8%
	20-24	Count	176	45	221
		% within Sex	4.1%	10.2%	4.7%
	25-29	Count	701	60	761
		% within Sex	16.3%	13.6%	16.1%
	30-39	Count	1956	173	2129
		% within Sex	45.5%	39.1%	44.9%
	40-49	Count	980	92	1072
		% within Sex	22.8%	20.8%	22.6%
	50-59	Count	306	32	338
		% within Sex	7.1%	7.2%	7.1%
	60-69	Count	105	15	120
		% within Sex	2.4%	3.4%	2.5%
	70+	Count	20	6	26
		% within Sex	.5%	1.4%	.5%
Total		Count	4297	442	4739
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

# Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	1710	127	1837
		% within Sex	39.8%	28.7%	38.8%
	African American	Count	463	97	560
		% within Sex	10.8%	21.9%	11.8%
	Hispanic	Count	2099	217	2316
		% within Sex	48.8%	49.1%	48.9%
	Asian-Pacific Islander	Count	10	1	11
		% within Sex	.2%	.2%	.2%
	Am Indian-Alaskan	Count	8		8
		% within Sex	.2%		.2%
	Not Specified	Count	7		7
		% within Sex	.2%		.1%
Total		Count	4297	442	4739
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

# Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	2936		2936
Exposure		% within Sex	68.3%		62.0%
	IDU	Count	380	106	486
		% within Sex	8.8%	24.0%	10.3%
	M-M & IDU	Count	336		336
		% within Sex	7.8%		7.1%
	Hemophiliac	Count	38	1	39
		% within Sex	.9%	.2%	.8%
	Heterosexual Contact	Count	208	231	439
		% within Sex	4.8%	52.3%	9.3%
	Transfusion	Count	49	15	64
		% within Sex	1.1%	3.4%	1.4%
	Confirmed Other	Count		2	2
		% within Sex		.5%	.0%
	Not Classified	Count	327	74	401
		% within Sex	7.6%	16.7%	8.5%
	Ped Hemophiliac	Count	7		7
		% within Sex	.2%		.1%
	Ped Parent at Risk	Count	12	12	24
		% within Sex	.3%	2.7%	.5%
	Ped Transfusion	Count	4		4
		% within Sex	.1%		.1%
	Ped Confirmed Other	Count		1	1
		% within Sex		.2%	.0%
Total		Count	4297	442	4739
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

# Cumulative Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	8	1829	1837
		% within Adult-Ped	25.0%	38.9%	38.8%
	African American	Count	7	553	560
		% within Adult-Ped	21.9%	11.7%	11.8%
	Hispanic	Count	17	2299	2316
		% within Adult-Ped	53.1%	48.8%	48.9%
	Asian-Pacific Islander	Count		11	11
		% within Adult-Ped		.2%	.2%
	Am Indian-Alaskan	Count		8	8
		% within Adult-Ped		.2%	.2%
	Not Specified	Count		7	7
		% within Adult-Ped		.1%	.1%
Total		Count	32	4707	4739
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 8

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Sex	Male	Count	19	4278	4297
		% within Adult-Ped	59.4%	90.9%	90.7%
	Female	Count	13	429	442
		% within Adult-Ped	40.6%	9.1%	9.3%
Total		Count	32	4707	4739
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 8

#### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Age at	0 (0-11 mo)	Count		1	1
Diagnosis		% within Sex		.4%	.0%
	1 (12-23 mo)	Count	1	2	3
		% within Sex	.1%	.7%	.1%
	2-4	Count	2	1	3
		% within Sex	.1%	.4%	.1%
	5-12	Count	1	2	3
		% within Sex	.1%	.7%	.1%
	13-19	Count	13	4	17
		% within Sex	.7%	1.5%	.8%
	20-24	Count	93	32	125
		% within Sex	4.7%	11.7%	5.5%
	25-29	Count	309	41	350
		% within Sex	15.6%	15.0%	15.5%
	30-39	Count	940	114	1054
		% within Sex	47.5%	41.8%	46.8%
	40-49	Count	455	47	502
		% within Sex	23.0%	17.2%	22.3%
	50-59	Count	135	20	155
		% within Sex	6.8%	7.3%	6.9%
	60-69	Count	26	7	33
		% within Sex	1.3%	2.6%	1.5%
	70+	Count	5	2	7
		% within Sex	.3%	.7%	.3%
Total		Count	1980	273	2253
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

# Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Current	5-12	Count	1	3	4
Age		% within Sex	.1%	1.1%	.2%
	13-19	Count	4	2	6
		% within Sex	.2%	.7%	.3%
	20-24	Count	16	6	22
		% within Sex	.8%	2.2%	1.0%
	25-29	Count	61	19	80
		% within Sex	3.1%	7.0%	3.6%
	30-39	Count	715	112	827
		% within Sex	36.1%	41.0%	36.7%
	40-49	Count	801	92	893
		% within Sex	40.5%	33.7%	39.6%
	50-59	Count	297	25	322
		% within Sex	15.0%	9.2%	14.3%
	60-69	Count	71	9	80
		% within Sex	3.6%	3.3%	3.6%
	70+	Count	14	5	19
		% within Sex	.7%	1.8%	.8%
Total		Count	1980	273	2253
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

Race-Ethnicity \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	711	74	785
		% within Sex	35.9%	27.1%	34.8%
	African American	Count	232	63	295
		% within Sex	11.7%	23.1%	13.1%
	Hispanic	Count	1022	135	1157
		% within Sex	51.6%	49.5%	51.4%
	Asian-Pacific Islander	Count	6	1	7
		% within Sex	.3%	.4%	.3%
	Am Indian-Alaskan	Count	6		6
		% within Sex	.3%		.3%
	Not Specified	Count	3		3
		% within Sex	.2%		.1%
Total		Count	1980	273	2253
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

# Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	X	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	1310		1310
Exposure		% within Sex	66.2%		58.1%
	IDU	Count	195	62	257
		% within Sex	9.8%	22.7%	11.4%
	M-M & IDU	Count	133		133
		% within Sex	6.7%		5.9%
	Hemophiliac	Count	7	1	8
		% within Sex	.4%	.4%	.4%
	Heterosexual Contact	Count	119	150	269
		% within Sex	6.0%	54.9%	11.9%
	Transfusion	Count	7		7
		% within Sex	.4%		.3%
	Not Classified	Count	202	54	256
		% within Sex	10.2%	19.8%	11.4%
	Ped Hemophiliac	Count	4		4
		% within Sex	.2%		.2%
	Ped Parent at Risk	Count	2	5	7
		% within Sex	.1%	1.8%	.3%
	Ped Transfusion	Count	1		1
		% within Sex	.1%		.0%
	Ped Confirmed Other	Count		1	1
		% within Sex		.4%	.0%
Total		Count	1980	273	2253
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

# Living Reported AIDS Cases through 12/31/02 (from the 02/27/03 HARS data set)

### Race-Ethnicity \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	3	782	785
		% within Adult-Ped	30.0%	34.9%	34.8%
	African American	Count	1	294	295
		% within Adult-Ped	10.0%	13.1%	13.1%
	Hispanic	Count	6	1151	1157
		% within Adult-Ped	60.0%	51.3%	51.4%
	Asian-Pacific Islander	Count		7	7
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		6	6
		% within Adult-Ped		.3%	.3%
	Not Specified	Count		3	3
		% within Adult-Ped		.1%	.1%
Total		Count	10	2243	2253
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 8

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Sex	Male	Count	4	1976	1980
		% within Adult-Ped	40.0%	88.1%	87.9%
	Female	Count	6	267	273
		% within Adult-Ped	60.0%	11.9%	12.1%
Total		Count	10	2243	2253
		% within Adult-Ped	100.0%	100.0%	100.0%

#### Age at Diagnosis \* Sex Crosstabulation<sup>a</sup>

			Se	ΣX	
			Male	Female	Total
Age at	0 (0-11 mo)	Count	3	2	5
Diagnosis		% within Sex	.1%	.4%	.2%
	1 (12-23 mo)	Count	2	3	5
		% within Sex	.1%	.6%	.2%
	2-4	Count	3	1	4
		% within Sex	.1%	.2%	.1%
	5-12	Count	2	3	5
		% within Sex	.1%	.6%	.2%
	13-19	Count	38	17	55
		% within Sex	1.4%	3.5%	1.7%
	20-24	Count	187	66	253
		% within Sex	6.8%	13.5%	7.8%
	25-29	Count	474	78	552
		% within Sex	17.3%	16.0%	17.1%
	30-39	Count	1246	191	1437
		% within Sex	45.4%	39.1%	44.4%
	40-49	Count	581	84	665
		% within Sex	21.2%	17.2%	20.6%
	50-59	Count	170	31	201
		% within Sex	6.2%	6.4%	6.2%
	60-69	Count	30	9	39
		% within Sex	1.1%	1.8%	1.2%
	70+	Count	10	3	13
		% within Sex	.4%	.6%	.4%
Total		Count	2746	488	3234
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

# Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

### Current Age \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Current	2-4	Count	2		2
Age		% within Sex	.1%		.1%
	5-12	Count	3	5	8
		% within Sex	.1%	1.0%	.2%
	13-19	Count	9	7	16
		% within Sex	.3%	1.4%	.5%
	20-24	Count	75	22	97
		% within Sex	2.7%	4.5%	3.0%
	25-29	Count	151	56	207
		% within Sex	5.5%	11.5%	6.4%
	30-39	Count	1028	186	1214
		% within Sex	37.4%	38.1%	37.5%
	40-49	Count	1021	150	1171
		% within Sex	37.2%	30.7%	36.2%
	50-59	Count	350	39	389
		% within Sex	12.7%	8.0%	12.0%
	60-69	Count	88	17	105
		% within Sex	3.2%	3.5%	3.2%
	70+	Count	19	6	25
		% within Sex	.7%	1.2%	.8%
Total		Count	2746	488	3234
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

			Se	ex	
			Male	Female	Total
Race-Ethnicity	White Non-Hispanic	Count	968	137	1105
		% within Sex	35.3%	28.1%	34.2%
	African American	Count	334	108	442
		% within Sex	12.2%	22.1%	13.7%
	Hispanic	Count	1421	240	1661
		% within Sex	51.7%	49.2%	51.4%
	Asian-Pacific Islander	Count	10	1	11
		% within Sex	.4%	.2%	.3%
	Am Indian-Alaskan	Count	7		7
		% within Sex	.3%		.2%
	Not Specified	Count	6	2	8
		% within Sex	.2%	.4%	.2%
Total		Count	2746	488	3234
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

# Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

### Mode of Exposure \* Sex Crosstabulation<sup>a</sup>

			Se	ex	
			Male	Female	Total
Mode of	Male-to-Male Sex	Count	1754		1754
Exposure		% within Sex	63.9%		54.2%
	IDU	Count	253	106	359
		% within Sex	9.2%	21.7%	11.1%
	M-M & IDU	Count	158		158
		% within Sex	5.8%		4.9%
	Hemophiliac	Count	7	1	8
		% within Sex	.3%	.2%	.2%
	Heterosexual Contact	Count	157	240	397
		% within Sex	5.7%	49.2%	12.3%
	Transfusion	Count	10	1	11
		% within Sex	.4%	.2%	.3%
	Not Classified	Count	394	131	525
		% within Sex	14.3%	26.8%	16.2%
	Ped Hemophiliac	Count	4		4
		% within Sex	.1%		.1%
	Ped Parent at Risk	Count	7	7	14
		% within Sex	.3%	1.4%	.4%
	Ped Transfusion	Count	1		1
		% within Sex	.0%		.0%
	Ped Confirmed Other	Count		1	1
		% within Sex		.2%	.0%
	Ped Other-Undet	Count	1	1	2
		% within Sex	.0%	.2%	.1%
Total		Count	2746	488	3234
		% within Sex	100.0%	100.0%	100.0%

a. PHR = PHR 8

# Prevalent Reported Cases of HIV/AIDS through 12/31/02 (Living HIV/AIDS Cases - combined - from 02/27/03 HARS data)

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Race-Ethnicity	White Non-Hispanic	Count	5	1100	1105
		% within Adult-Ped	26.3%	34.2%	34.2%
	African American	Count	4	438	442
		% within Adult-Ped	21.1%	13.6%	13.7%
	Hispanic	Count	10	1651	1661
		% within Adult-Ped	52.6%	51.4%	51.4%
	Asian-Pacific Islander	Count		11	11
		% within Adult-Ped		.3%	.3%
	Am Indian-Alaskan	Count		7	7
		% within Adult-Ped		.2%	.2%
	Not Specified	Count		8	8
		% within Adult-Ped		.2%	.2%
Total		Count	19	3215	3234
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 8

Sex \* Adult-Ped Crosstabulation<sup>a</sup>

			Adult	-Ped	
				Adult/Adol	
			Pediatric	escent	Total
Sex	Male	Count	10	2736	2746
		% within Adult-Ped	52.6%	85.1%	84.9%
	Female	Count	9	479	488
		% within Adult-Ped	47.4%	14.9%	15.1%
Total		Count	19	3215	3234
		% within Adult-Ped	100.0%	100.0%	100.0%

a. PHR = PHR 8